MITSUBISHI TRITON STEALTHBAR

SB 0002

Suits Mitsubishi MV Triton MY24+



PRODUCT SPECIFICATIONS

Description: Mitsubishi Triton StealthBar

Application: Mitsubishi MV Triton MY24+

Fitting Time: Refer to matrix for accessory fitup

Fitted Weight: 31kg (Non-Winch) 36.5kg (Winch)

Dimensions: Bar adds 185mm to vehicle length

Standards: Meets AS 4876.1-2002. Including 3.2 Road User Protection.

Available: March 2025









Freight Information:

Non Winch

Bar & Bracket Kit
1970mm L x 740mm W x 385mm H & 46.5kg

Winch

Bar & Bracket Kit 1970mm L x 740mm W x 385mm H H & 53kg








Designed specifically for the Mitsubishi Triton MV, the ARB StealthBar is the ultimate blend of safety, style, and functionality. Engineered using ARB SmartBars advanced impact-absorbing polyethylene materials, the StealthBar provides increased frontal protection while remaining incredibly lightweight maintaining your vehicle's GVM, efficiency and handling.

Its UV-stabilised material offers great resilience, while the durable hollow construction ensures longevitiy even within Australia's harshest environments. With safety at the forefront of design it maintains ADR compliance and seamlessly integrates with the Triton's factory safety systems, compatible with airbags, parking sensors, and radar-based driver assistance features that provides confidence for both occupants and pedestrians.

Beyond protection, the StealthBar is a versatile platform for aftermarket accessories, offering mounting options for UHF antenna, driving lights, and safety flags. Available in both winch and non-winch compatible models, it's the perfect solution for those seeking a modern, functional, and safety-focused bull bar.



Safety Features -

SmartBar puts safety at the forefront. Going above and beyond the Australian Safety Standards, to ensure the safety of the vehicle, occupants and pedestrians. StealthBars go through exhaustive testing, which proves the superiority of our impact resistant technology allowing us to confidently stand behind the quality and safety of our bull bars.



Chassis Mounts:

The chassis mount design comprises of an adjustable bracket construction which allows for 2 axis of adjustability, to achieve a solid and perfect fit every time.

All brackets have been designed to comply with Vehicle Air Bag and Australian Safety Standards.



Pedestrian Safety:

SmartBar's have been tested to Australia's Pedestrian Safety ratings and proven to be less likely to cause serious injury to pedestrians than other alternatives. This is due to the hollow construction which allows the bar to absorb most of the impact along with the unique and specifically designed co-polymer material.



Integrated Sensors:

The Mitsubishi Triton MY24 StealthBar is compatible with all

Mitsubishi radars and Driver Assistance Systems.

- Including (but not limited to):
- Front and side radars
- Front camera
- Parking sensors

Impact absorbing hollow construction means increased safety, and minimal repair costs after impact.

Manufactured from environmentally friendly, recyclable polyethylene polymer. UV stabilised polymer for durability and corrosion resistance and therefore minimal maintenance.

Lightweight design provides weight savings which improve fuel economy and reduce tyre, suspension and brake wear when compared to other alternatives.





Product Features —

	Feature	Description	Included	Optional	Part Number
<u>SB0002</u>	Safety Radars & Parking Sensors	The StealthBar is compatible with all Mitsubishi original front and side radars and front parking sensors. See matrix for details.	\checkmark		-
	Winch Compatibility	The Winch version StealthBar is compatible with winches rated up to 10,000lb. See page 6 for full winch details.	✓ Winch bar model must be purchased.		See matrix for part numbers.
	Accessory Mounting	The StealthBar is supplied with an accessory bracket to mount a range of driving lights and other accessories. For further details on light fitment see page 6.	\checkmark	-	-
	Antenna Mounts	Optional Antenna / Sand Flag mounts are available, conveniently located on the right or left of the bar. See matrix for details.		\checkmark	See matrix for details.
	Fog Lights	The original factory fog lights are retained for GLX, GLX+ & GLX-R models. Replacement fog light kit is required for GLS & GSR models. See part matrix for details.	-	\checkmark	See matrix for details.



Accessory Compatibility —

The listed products are compatible with this StealthBar. (Other products may suit this application).

LIGHTS			WINCHES				
Bushranger Night Hawk Lights	NHX180VLI - Night Hawk 7″ VLI LED Driving Light	\checkmark		Bushranger REVO MKII	\checkmark		
	NHX230VLI/VCT/VBP - Night Hawk 9" Variable Series LED Driving Lights	\checkmark		Winch Wire & Synthetic - 10S - 10W			
ARB Intensity V2	AR21 ARB Intensity 21 AR32 ARB Intensity 32	\checkmark	Bushranger Winches	Bushranger COVERT Winch Wire & Synthetic			
	SJB36 ARB Intensity Solis SJB21 ARB Intensity Solis	\checkmark)	- 10S - 10W	V		
NACHO (driven by ARB)	PM611 Nacho Grande 4 Lo PM612 Nacho Grande 4 Hi PM661 Nacho Grande SAEJ581	1		Warn M8000, XD9000, XP9.5 and XDC 9.5	\checkmark		
	PM616 Nacho Grande Supreme 100 PM615 Nacho Grande Supreme 150	V		Warn ZEON 8, 8-S, 10, 10S	\checkmark		
			WARN	Warn ZEON Platinum 10, 10S	\checkmark		
				Warn VR EVO 8, 8-S, 10, 10S	\checkmark		

Additional fit kits are required depending on the winch being fitted:

• Warn ZEON Platinum fitment may require part No. W94288 Enhanced Signal Kit.



Part Number Matrix —

				Required Parts	5	Optional Parts						
		LED Fog Light Kit ¹		Optional Right Antenna Mount		Optional Left Antenna Mount		Optional High Lift Jack Point ²				
Model (Guide Only)		Part No.	Fitting Time	Part No.	Fitting Time	Part No.	Fitting Time	Part No.	Fitting Time	Part No.	Fitting Time	
GLX/GLX+/GLX-R	Winch	SA340BL341	6 Hrs	-	-	SA340AMR	5 Mins	SA340AML	5 Mins	SA300HJK	N/A	
	Non-Winch	SA340BL340	5.5 Hrs	-	-	SA340AMR	5 Mins	SA340AML	5 Mins	-	-	
GLS	Winch	SA340BL341	6 Hrs	SA340FLK	30 Mins	SA340AMR	5 Mins	SA340AML	5 Mins	SA300HJK	N/A	
	Non-Winch	SA340BL340	5.5 Hrs	SA340FLK	30 Mins	SA340AMR	5 Mins	SA340AML	5 Mins	-	-	
CSR ²	Winch	SA342BL341	6 Hrs	SA340FLK	30 Mins	SA340AMR	5 Mins	SA340AML	5 Mins	SA300HJK	N/A	
	Non-Winch	SA342BL340	5.5 Hrs	SA340FLK	30 Mins	SA340AMR	5 Mins	SA340AML	5 Mins	-	-	

Please note:

¹ LED Foglight Kit is required for GLS & GSR Models

² GSR Required SA342 StealthBar due to the OE flares