

ARB FRONTIER TUB MOUNTED WATER TANK



PRODUCT SPECIFICATIONS

Overview

A space-efficient easy-to-use water storage and delivery system for tub utility vehicles. Catering to off-road, camping, trade, and recreational needs. It provides onboard water to ensure users have access to potable water for cleaning, drinking, or other practical purposes, without compromising the functionality of vehicle storage systems.

NOTE: Hose and spray nozzle are not included.

COMPLETE SYSTEM

Integrated tank with a 12V pump, wiring system, water lines and easy access panel.

LIGHT WEIGHT

Durable polyethylene (PE) construction with potable water making it safe for consumption.


VEHICLE SPECIFIC FITMENT

Utilising vehicle-specific bracketry, the tank is mounted to the front of the tub for efficient use of space and weight distribution.



SIMPLE TO USE

The easy-access panel provides pump power, a water connection inlet and outlet, and flow adjustment.







DRAWER COMPATIBLE

Suits tubs with dual, left or right-hand drawer systems.







**PROUDLY
AUSTRALIAN MADE**

Product Features

	Feature	Description
	Vehicle Specific Design	The space-saving design utilises the often unutilised void in front of the drawers and maximises water-carrying capacity.
	Pressurised Water System	A complete onboard water carrying and delivery system. The system includes a vehicle-specific tank and bracket system, a 12V pump, a wiring harness, John Guest water lines, and an easy access panel.
	Potable Polyethylene	The tank is made from drinking water safe polyethylene (PE) for exceptional strength while remaining lightweight, resistant to impact, UV and rust.
	Self Priming 12-Volt Pump	Efficient Water Flow with the 6LPM / 65Psi Water Pump with adjustable flow rate, mounts directly to the tank, with a steel pump cover for added protection.

Product Features

	Feature	Description
	Simple Operation	Designed for efficient use, this system features a single inlet/outlet for simple refills and pressurised water access, even when the vehicle is fully packed. It includes a hose-compatible connector for washing gear, outdoor showers, or kitchen use, while the integrated dust cover keeps the nozzle free from debris and bugs. An adjustable flow dial and on/off pump button make controlling water quick and easy, allowing every drop to be easily managed.
	Easy Access Panel	Installed on the left hand side drawer panel inside the tub, the easy-access panel makes filling and using water from the tank simple.
	Versatile Design	Engineered to work seamlessly with many factory and OEM accessories such as tub liners, canopies, hard lids and tub racks.
	Multiple Access Points	The tank features a top-mounted filler cap, making it easy to refill when a tap and hose aren't available. An integrated overflow line ensures that once the tank is full, excess water is safely drained outside the tub, keeping everything tidy and hassle free.

Specifications —

Ford Ranger 2022+

Part Number:
TTW001FF

Fitted Weight:
15kg


Fitting Time:
2.5 Hrs

Water Capacity:
45 Litres

Freight Information:

TTW001FF (Ford Ranger 2024+) | 1510x530x220mm | 18 KG
TTWLG | 200x100x100mm | 0.3KG

Fitment	Fitment Notes	Optional DIGITAL WATER LEVEL GAUGE
FORD RANGER 45L Suits all Double- Cab Ford Rangers with ARB draw systems (Excluding PHEV models & Raptor models. Super Cab to be confirmed)	Does not fit with roller cover in place. Does not suit PHEV Models or Raptor models. Super Cab to be confirmed Fitment without draw system solution is in development.	TTWLG



Specifications —

Toyota Hilux 2015+

Part Number:
TTW002FF

Fitted Weight:
15kg

Fitting Time:
2.5 Hrs

Water Capacity:
53 Litres

Freight Information:

TTW002FF (Hilux 2015+) | 1510x530x220mm | 18 KG
TTWLG | 200x100x100mm | 0.3KG

Fitment	Fitment Notes	Optional DIGITAL WATER LEVEL GAUGE
TOYOTA HILUX 53L Suits Double- Cabs; GR Sport, Rogue, SR5, Workmate & SR (Extra-Cab to be confirmed)	Does not fit with roller cover or Tub liner in place. Remove the tub liner for fiment. Extra-Cab fitment to be confirmed. Fitment without draw system solution is in development.	TTWLG

